



	Hawa Folding Concepta III	Hawa Concepta III
BS	mm	mm
S	18 - 26	± 19
T1	≥ 344	≥ 414
T2	440 - 750	1200 - 2700
TB	0 - 6	0 - 6
TH	2 - 5	2 - 5
Z1	2 - 5	2 - 5
Z2	2 - 5	2 - 5
Z3	2 - 5	2 - 5
Z5	2 - 5	2 - 5
DE Formeln	mm	mm
FR Formules		
EN Formulas		
IT Formule		
ES Fórmulas		
T1	TB + 92 + Z3 - M2	TB + 92 + Z3 - M
T2	TB + 92 + Z3 - M2	TB - M
E1	TB - M2	TB - M2
E2	TB - M2	TB - M2
KT1	≥ T1	≥ T1
KT2	≥ T2	≥ T2
M	≥ S + 75	≥ TB - 320
M2	≥ S + 75	≥ TB - 390

	Hawa Folding Concepta III	Hawa Concepta III
BS	Inch	Inch
S	0.71 - 1.02	± 0.75
T1	≥ 13.54	≥ 16.30
T2	17.32 - 29.53	47.24 - 108.43
TB	0 - 0.24	0 - 0.24
TH	0.08 - 0.20	0.08 - 0.20
Z1	0.08 - 0.20	0.08 - 0.20
Z2	0.08 - 0.20	0.08 - 0.20
Z3	0.08 - 0.20	0.08 - 0.20
Z5	0.08 - 0.20	0.08 - 0.20
DE Formeln	Inch	Inch
FR Formules		
EN Formulas		
IT Formule		
ES Fórmulas		
T1	TB + 3.68 + Z3 - M2	TB + 3.68 + Z3 - M
T2	TB + 3.68 + Z3 - M2	TB - M
E1	TB - M2	TB - M2
E2	TB - M2	TB - M2
KT1	≥ T1	≥ T1
KT2	≥ T2	≥ T2
M	≥ S + 2.95	≥ TB - 12.79
M2	≥ S + 2.95	≥ TB - 15.35

DE	FR	EN	IT	ES
BS Beschlagselende	Epaisseur du côté extérieur	Fitting side thickness	Spessore lato ferramenta	Grosor del lado del herraje
E Einschubtiefe	Profondeur d'encastotage	Slide-in depth	Profondità di inserimento	Profundidad de introducción
EH Einbauhöhe	Hauteur d'encastrement	Installation height	Altezza d'incasso	Altura de montaje
KT Korpusiefe	Profondeur de corps	Cabinet depth	Profondità mobile	Profundidad del mueble
LMB Lichtmassbreite	Largeur inférieure	Inside clearance	Larghezza luce	Ancho interior
M Türüberstand über Korpus	Saillie de la porte par rapport au corps	Door projection over cabinet	Sporgenza anta sopra il mobile	Solape de la puerta sobre el cuerpo
S Türdicke	Epaisseur de porte	Door thickness	Spessore anta	Grosor de la puerta
T Beschlagtiefe	Profondeur de ferrure	Hardware depth	Profondità ferramenta	Profundidad del herraje
TA Türschwabenstand	Ecartement d'axe de la charnière invisible	Axis centre distance of concealed hinge	Distanza scalcina asse	Distancia de la carozeta
TB Türbreite	Largeur de porte	Door width	Larghezza anta	Ancho de puerta
TH Türhöhe	Hauteur de porte	Door height	Altezza anta	Altura de puerta
Z Luftzwischenraum	Jeu dans l'espacement	Air gap	Trafiero d'anta	Espacio libre



DE	FR	EN	IT	ES
DE Tür vorstehend	FR Porte affleurante	EN Flush door	IT Porta sporgente	ES Puerta saliente
DE Tür bündig	FR Porte affleurante	EN Flush door	IT Porta complanare	ES Puerta enrasada
DE Tür vorstehend	FR Porte en saillie	EN Protruding door	IT Porta sporgente	ES Puerta saliente




DE Hawa Folding Concepta III Pull links, Hawa Concepta III Pull rechts
 FR Hawa Folding Concepta III Pull, à gauche, Hawa Concepta III Pull, à droite
 EN Hawa Folding Concepta III Pull, left, Hawa Concepta III Pull, right
 IT Hawa Folding Concepta III Pull, a sinistra, Hawa Concepta III Pull, a destra
 ES Hawa Folding Concepta III Pull izquierda, Hawa Concepta III Pull derecha
 Hawa Folding Concepta III Pull links, Hawa Concepta III Pull rechts
 161993 V03 1/3

DE Aussenseite K
FR Face extérieure K
EN Outer face K
IT Lato esterno K
ES Lateral exterior K



DE Beschiagsseite H
FR Côte de la ferrure H
EN Fitting side H
IT Lato ferramenta H
ES Lado del herraje H

DE Türe Concepta III 25 Pull
FR Porte Concepta III 25 Pull
EN Door Concepta III 25 Pull
IT Anta Concepta III 25 Pull
ES Puerta Concepta III 25 Pull

DE Türe Concepta III 35 Pull
FR Porte Concepta III 35 Pull
EN Door Concepta III 35 Pull
IT Anta Concepta III 35 Pull
ES Puerta Concepta III 35 Pull



DE Stahlprofil, rechts.
FR Profil en acier, à droite.
EN Steel profile, right.
IT Profilo in acciaio, a destra.
ES Perfil de acero, derecha.



Hawa Concepta III 25 Pull

DE Maximale Gewichte in kg / FR Poids maximale en kg / EN Maximum weights in kg / IT Pesi massimi in kg / ES Pesos máximos en kg

DE Türbreite / FR Largeur de porte / EN Door width / IT Larghezza anta / ES Ancho de puerta

	440	500	550	600	650	700	750
2200	25	25	25	25	25	25	24
2150	25	25	25	25	25	25	23
2100	25	25	25	25	25	24	23
2050	25	25	25	25	25	24	22
2000	25	25	25	25	25	23	21
1950	25	25	25	25	24	22	21
1900	25	25	25	25	23	21	20
1850	25	25	25	24	22	21	19
1800	25	25	25	23	21	20	19
1750	25	25	25	22	21	19	18
1700	25	25	24	22	20	19	17
1650	25	25	23	21	19	18	17
1600	25	24	22	20	18	17	16
1550	25	23	21	19	18	16	15
1500	24	22	20	18	17	16	15
1450	23	21	19	17	16	15	14
1400	22	20	18	17	15	14	13
1350	21	19	17	16	15	14	13
1300	20	18	16	15	14	13	12
1250	19	17	15	14	13	12	11
1200	18	16	15	13	12	11	11

DE Türhöhe / FR Hauteur de porte / EN Door height / IT Altezza anta / ES Altura de puerta

DE Türgewicht in kg / FR Poids de porte en kg / EN Door weight in kg / IT Peso anta in kg / ES Peso de puerta en kg

Hawa Concepta III 35 Pull

DE Maximale Gewichte in kg / FR Poids maximale en kg / EN Maximum weights in kg / IT Pesi massimi in kg / ES Pesos máximos en kg

DE Türbreite / FR Largeur de porte / EN Door width / IT Larghezza anta / ES Ancho de puerta

	440	500	550	600	650	700	750
2700	35	35	35	35	35	35	35
2650	35	35	35	35	35	35	35
2600	35	35	35	35	35	35	35
2550	35	35	35	35	35	35	35
2500	35	35	35	35	35	35	35
2450	35	35	35	35	35	35	34
2400	35	35	35	35	35	35	33
2350	35	35	35	35	35	34	32
2300	35	35	35	35	35	34	31
2250	35	35	35	35	35	33	31
2200	35	35	35	35	34	32	30
2150	35	35	35	35	33	31	29
2100	35	35	35	35	32	30	28
2050	35	35	35	34	31	29	27
2000	35	35	35	33	30	28	26
1950	35	35	35	32	29	27	26
1900	35	35	34	31	29	27	25

DE Türhöhe / FR Hauteur de porte / EN Door height / IT Altezza anta / ES Altura de puerta

DE Türgewicht in kg / FR Poids de porte en kg / EN Door weight in kg / IT Peso anta in kg / ES Peso de puerta en kg

Hawa Concepta III 25 Pull

DE Maximale Gewichte in lbs. / FR Poids maximale en lbs. / EN Maximum weights in lbs. / IT Pesi massimi in lbs. / ES Pesos máximos en lbs.

DE Türbreite / FR Largeur de porte / EN Door width / IT Larghezza anta / ES Ancho de puerta

	1'5 5/8"	1'7 11/16"	1'9 23/32"	1'11 5/8"	2'1 13/32"	2'3 9/16"	2'5 11/32"
7'2 5/8"	55	55	55	55	55	55	53
7'0 3/4"	55	55	55	55	55	55	51
6'10 11/16"	55	55	55	55	55	55	51
6'8 13/16"	55	55	55	55	55	55	49
6'6 3/4"	55	55	55	55	55	55	46
6'4 5/8"	55	55	55	55	55	55	44
6'2 1/2"	55	55	55	55	55	51	44
6'0 3/4"	55	55	55	53	49	46	42
5'10 1/2"	55	55	55	51	46	44	42
5'8 3/8"	55	55	55	49	46	42	40
5'6 1/2"	55	55	53	49	44	42	37
5'4 3/4"	55	55	51	46	42	40	37
5'3"	55	53	49	44	40	37	35
5'1 1/4"	55	51	46	42	40	35	33
4'11 1/4"	53	49	44	40	37	35	33
4'9 3/8"	51	46	42	37	35	33	31
4'7 1/4"	49	44	40	37	33	31	29
4'5 5/8"	46	42	37	35	33	31	29
4'3 3/8"	44	40	35	33	31	29	26
4'1 1/4"	42	37	33	31	29	26	24
3'11 1/4"	40	35	33	29	26	24	24

DE Türhöhe / FR Hauteur de porte / EN Door height / IT Altezza anta / ES Altura de puerta

DE Türgewicht in lbs. / FR Poids de porte en lbs. / EN Door weight in lbs. / IT Peso anta in lbs. / ES Peso de puerta en lbs.

Hawa Concepta III 35 Pull

DE Maximale Gewichte in lbs. / FR Poids maximale en lbs. / EN Maximum weights in lbs. / IT Pesi massimi in lbs. / ES Pesos máximos en lbs.

DE Türbreite / FR Largeur de porte / EN Door width / IT Larghezza anta / ES Ancho de puerta

	1'5 5/8"	1'7 11/16"	1'9 23/32"	1'11 5/8"	2'1 13/32"	2'3 9/16"	2'5 11/32"
8'10 5/8"	77	77	77	77	77	77	77
8'8 13/16"	77	77	77	77	77	77	77
8'6 3/4"	77	77	77	77	77	77	77
8'4 5/8"	77	77	77	77	77	77	77
8'2 1/4"	77	77	77	77	77	77	77
8'0 1/2"	77	77	77	77	77	77	75
7'10 3/8"	77	77	77	77	77	77	73
7'8 1/2"	77	77	77	77	77	77	71
7'6 3/4"	77	77	77	77	77	77	68
7'4 1/4"	77	77	77	77	77	77	68
7'2 5/8"	77	77	77	77	77	75	71
7'0 3/4"	77	77	77	77	77	73	68
6'10 11/16"	77	77	77	77	77	71	66
6'8 13/16"	77	77	77	75	68	64	60
6'6 3/4"	77	77	77	73	66	62	57
6'4 5/8"	77	77	77	71	64	60	57
6'2 1/2"	77	77	75	68	64	60	55

DE Türhöhe / FR Hauteur de porte / EN Door height / IT Altezza anta / ES Altura de puerta

DE Türgewicht in lbs. / FR Poids de porte en lbs. / EN Door weight in lbs. / IT Peso anta in lbs. / ES Peso de puerta en lbs.