



# Fitting for pivoting and lateral sliding in of wooden doors up to 25 kg (55 lbs.). Uniform, flush front design with even gap pattern. Push-to-open function for handle-less cabinet designs.

Product-Highlights	Productivity	Productivity Easy installation thanks to high degree of pre-assembly with intuitive adjustment  Comfort Ergonomic movement support for even, smooth movement  Aesthetics Cabinet designs without handle – the technology remains invisible	
	Comfort		
	Aesthetics		
Technical guidelines	Door weight		6–25 kg (13 to 55 lbs.)
	Door thickness		18-26 mm (23/32" to 1 1/32")
	Door height		1200-2200 mm (3' 11 1/4'' to 7' 2 5/8'')
	Door width		440-750 mm (1' 5 5/16" to 2' 5 17/32")
	Height adjustable		+/- 3 mm (1/8'')
	Door material		Wood
Application area	Utilization light / semi-public access		Yes
	Utilization medium / semi-public access		Yes
	Utilization high / public access		Yes

**Tests** Hardware for furniture – Strength and durability of slide fittings for sliding doors and roll fronts according to EN 15706 / 2009

Hardware for furniture – Strength and durability of hinges and their components - Hinges with vertical axis of rotation according to EN 15570 / 2008

Warranty

With the exception of parts subject to wear and tear, Hawa warrants the flawless functioning of the products delivered by it, as well as the durability of all parts, for a period of 2 years commencing from the transfer of risk.

#### **Product Design**

Hawa Concepta III 25 Push consisting of running and guide track (aluminum), a slide-in unit with door ejection, horizontal upright profile, concealed hinges with soft closing mechanism

#### Ontional

- (....) Cabinet connection profiles (Connector 55 (2 5/32") and 110 mm (4 11/32"))
- (....) Guide for two inlaid doors
- (....) Straightening fitting
- (....) Support bracket for automatic shut-off device



Hawa Concepta III 25 Push

### Interfaces

### **Door leaf**

- 35 mm (1 3/8") drill holes for concealed hinges
- Drill holes for hardware components

# Cabinet side and outer side

- Drill holes for hardware components

## **Cabinet designs**

- Inlaid door
- Door striking against the top and bottom cabinet section
- Door with furniture plinth
- Door without furniture base
- Composed cabinet
- Floor-to-ceiling doors